




## Aerodynamics

# AFA5

## Differential Pressure Transducer

**Microprocessor-controlled pressure measurement and display unit for use with TecEquipment's Subsonic Wind Tunnel (AF100)**

Works with  
**VDAS**<sup>®</sup>



- Optional ancillary to TecEquipment's modular Subsonic Wind Tunnel (AF100)
- Measures and displays differential pressures from models, Pitot static tubes and other devices
- Quicker, easier and more versatile than using liquid manometers
- Integral LCD allows direct pressure measurement
- Measures differential pressures or pressure with respect to atmosphere
- Fully compatible with TecEquipment's Versatile Data Acquisition System (VDAS<sup>®</sup>) to enable accurate real-time data capture, monitoring and display on a computer

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecquipment.com • **W** www.tecquipment.com
- An ISO 9001 certified company
- VDAS is a registered trademark of TecEquipment Ltd

# AFA5

# Differential Pressure Transducer

## Description

The Differential Pressure Transducer and readout is an optional ancillary to TecEquipment's Subsonic Wind Tunnel (AF100). It measures and displays pressures in Pitot-static tubes and other pressure-sensing devices fitted to a wind tunnel, with respect to the atmosphere or differential pressures.

The control and instrumentation panel of the AF100 wind tunnel includes a location for mounting up to two Differential Pressure Transducer modules. It is microprocessor-controlled and contains a calibrated pressure transducer. The unit has an integral liquid crystal display that allows the user to read pressure directly.

The signals of the pressure sensors may be output to TecEquipment's optional Versatile Data Acquisition System (VDAS®, available separately). Using VDAS® enables accurate real-time data capture, monitoring, display, calculation and charting of all relevant parameters on a suitable computer (computer not included).

When the Differential Pressure Transducer is used with the automatic data acquisition unit it provides a significant advantage over conventional instruments such as manometers. Many readings can be taken and the user may use a suitable spreadsheet software package to obtain a more accurate overview of pressure distributions.

## Standard Features

- Supplied with comprehensive user guide
- Five-year warranty
- Made in accordance with the latest European Union directives

## Ancillary For

- Subsonic Wind Tunnel (AF100)
- Cylinder Model (AF101)
- NACA 0012 Aerofoil With Tappings (AF102)
- NACA 2412 Aerofoil With Flap (AF103)
- Set of 2 NACA 0012 Aerofoils (AF104)
- Flat Plate Drag Model (AF105)
- Boundary Layer Model (AF106)
- Aircraft Model-Low Wing (AF107)
- Aircraft Model-High Wing (AF108)
- Three Dimensional Drag Models (AF109)

## Specifications

*Nett Dimensions:*

182 mm long x 100 mm high x 105 mm deep and 1 kg

*Approximate Packed Dimensions:*

0.01 m<sup>3</sup> and 2.5 kg

*Pressure sensor:*

Pressure transducer calibrated at a maximum of  $\pm 7$  kPa

## Operating Conditions

*Operating environment:*

Well ventilated laboratory

*Storage temperature range:*

-25°C to +55°C (when packed for transport)

*Operating temperature range:*

+5°C to +40°C

*Operating relative humidity range:*

80% at temperatures < 31°C decreasing linearly to 50% at 40°C

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecequipment.com • **W** www.tecequipment.com
- An ISO 9001 certified company
- VDAS is a registered trademark of TecEquipment Ltd



*tradition.*

*innovation.*

*integration.*

**infoWERK** is a leading expert in the development of eLearning courseware, learning system solutions, teaching and AV equipment.

**Furthermore infoWERK is the representative and system integrator of "TecQuipment".**

**TecQuipment** is one of the global leaders in technical teaching equipment for engineering. If you are interested in one of TecQuipment's products feel free to contact us at:



**infoWERK Medien & Technik GmbH**

**Martinsbühel 6 / A-6170 Zirl / Austria**

Phone: +43 (0) 5238 52099-0 / Fax: +43 (0) 5238 52099-40

E-Mail: [info@infowerk.at](mailto:info@infowerk.at) / Website: [infowerk.at](http://infowerk.at)

**Otto-Dürr-Straße 25**

**D-70435 Stuttgart, Zuffenhausen/ Germany**

Phone: +49 (0) 711 342471-0 / Fax: +49 (0) 711 342471-11

E-Mail: [info@de.infowerk.at](mailto:info@de.infowerk.at) / Website: [infowerk.at](http://infowerk.at)