


Control Engineering


CE122

Digital Interface

Electronic interface that connects TecEquipment's Control Engineering (CE) range to a suitable computer for computer control and data acquisition



A typical screenshot of the CE2000 software (supplied)



- Compact, bench-mounting unit
- All inputs and outputs are low voltage and buffered for educational use
- Supplied with TecEquipment's Control Software (CE2000) for control and data acquisition
- Fully digital – needs no user adjustments
- Simple-to-use input and output connections
- Connects to products in TecEquipment's Control Engineering range
- Can work as an interface to other compatible laboratory equipment for computer control and data acquisition
- Connects to most modern computers

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- T +44 115 972 2611 • F +44 115 973 1520 • E info@tecquipment.com • W www.tecquipment.com
- An ISO 9001 certified company

CE122

Digital Interface

Description

The Digital Interface is for use with most products in TecQuipment's Control Engineering range, but it will work with any other compatible laboratory equipment.

It is an alternative to the CE120 Controller, when the user only needs the interface part of the CE120.

It converts analogue inputs from other equipment into digital signals for a computer. It also converts the digital signals from a computer into analogue signals to control other equipment.

It will allow the user to monitor up to eight input signals and control up to four output signals.

Supplied with the CE122 is TecQuipment's CE2000 Control Software (see separate datasheet for details).

Available Experiment Modules

Selected products in TecQuipment's Control Engineering range:

- Thermal Process Control (CE103)
- Coupled Tanks (CE105 and CE105 MV)
- Ball and Beam (CE106)
- Engine Speed Control (CE107)
- Coupled Drives (CE108)
- Ball and Hoop (CE109)
- Servo Trainer (CE110)

Standard Features

- Supplied with comprehensive user guide
- Five-year warranty
- Made in accordance with the latest European Union directives

Essential Ancillaries

Suitable computer with two spare USB connections (not supplied by TecQuipment) – refer to CE2000 datasheet for full details.

Essential Services

Electrical supply:

90 VAC to 250 VAC 65 mA, 50/60 Hz, with earth

Other voltages and frequencies available to special order

Bench space needed:

400 mm x 300 mm

Operating Conditions

Operating environment:

Laboratory

Storage temperature range:

-25°C to +55°C (when packed for transport)

Operating temperature range:

+5°C to +40°C

Operating relative humidity range:

80% at temperatures < 31°C decreasing linearly to 50% at 40°C

Sound Levels

Less than 70 dB(A)

Specifications

Nett dimensions and weight:

360 x 170 x 125 mm, 3 kg

Packed dimensions and weight:

0.04 m³, 4.7 kg (approx – packed for export)

Input and outputs:

Eight A-D inputs: ±10 V

Four D-A outputs: ±10 V

Type B USB socket connection for a suitable computer

tradition.

innovation.

integration.

infoWERK is a leading expert in the development of eLearning courseware, learning system solutions, teaching and AV equipment.

Furthermore infoWERK is the representative and system integrator of "TecQuipment".

TecQuipment is one of the global leaders in technical teaching equipment for engineering. If you are interested in one of TecQuipment's products feel free to contact us at:



infoWERK Medien & Technik GmbH

Martinsbühel 6 / A-6170 Zirl / Austria

Phone: +43 (0) 5238 52099-0 / Fax: +43 (0) 5238 52099-40

E-Mail: info@infowerk.at / Website: infowerk.at

Otto-Dürr-Straße 25

D-70435 Stuttgart, Zuffenhausen/ Germany

Phone: +49 (0) 711 342471-0 / Fax: +49 (0) 711 342471-11

E-Mail: info@de.infowerk.at / Website: infowerk.at