



# H311

## Liquid Sedimentation Apparatus

*Shows how different particles settle in liquid*



- Compact, bench-mounting apparatus to study how particles settle in liquid
- Finds settling characteristics and particle sizes of suspended solids
- Five identical sedimentation columns for comparison of different sediments
- Translucent rear panel with back lighting for better visibility
- Includes stopwatch, measuring beakers and specific gravity bottle
- Ideal for classroom demonstrations and student experiments

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecequipment.com • **W** www.tecequipment.com
- An ISO 9001 certified company

# H311

## Liquid Sedimentation Apparatus

### Description

The bench-mounting apparatus consists of five long, transparent sedimentation columns mounted on a rigid frame.

The rear panel is translucent, with back lighting to improve observation of settling sediments in the columns. The columns are removable for filling before tests. A graduated scale on the rear panel allows students to measure settlement depth.

Supplied with the equipment is a stopwatch to find settling times, a specific gravity bottle, measuring beakers and five rubber bungs. The rubber bungs seal the ends of the columns when the students shake the liquid and particles (slurry) before an experiment.

### Standard Features

- Supplied with a comprehensive user guide
- Five-year warranty
- Manufactured in accordance with the latest European Union directives

### Experiments

- Comparison of settling characteristics of different sediments
- Determination of the effect of concentration on settling characteristics (hindered settlement)
- Determination of velocity distribution curves
- Comparison of flocculent and particle suspensions
- Determination of particle size distribution (grading curve) by liquid sedimentation

### Operating Conditions

*Operating environment:*

Laboratory

*Storage temperature range:*

-25°C to +55°C (when packed for transport)

*Operating temperature range:*

+5°C to +40°C

*Operating relative humidity range:*

80% at temperatures < 31°C decreasing linearly to 50% at 40°C

### Essential Services

*Electrical supply:*

Single-phase, earthed electrical supply of 220/240 VAC or 110/120 VAC, 50/60 Hz (specify on order).

*Bench space needed:*

Approximately 850 mm x 600 mm

### Specifications

*Nett dimensions and weight:*

760 x 430 x 1140 mm and 30 kg

*Packed dimensions and weight:*

0.6 m<sup>3</sup> and 45 kg

*Columns:*

1 m long, 50 mm nominal diameter

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecequipment.com • **W** www.tecequipment.com
- An ISO 9001 certified company

*tradition.*

*innovation.*

*integration.*

**infoWERK** is a leading expert in the development of eLearning courseware, learning system solutions, teaching and AV equipment.

**Furthermore infoWERK is the representative and system integrator of "TecQuipment".**

**TecQuipment** is one of the global leaders in technical teaching equipment for engineering. If you are interested in one of TecQuipment's products feel free to contact us at:



**infoWERK Medien & Technik GmbH**

**Martinsbühel 6 / A-6170 Zirl / Austria**

Phone: +43 (0) 5238 52099-0 / Fax: +43 (0) 5238 52099-40

E-Mail: [info@infowerk.at](mailto:info@infowerk.at) / Website: [infowerk.at](http://infowerk.at)

**Otto-Dürr-Straße 25**

**D-70435 Stuttgart, Zuffenhausen/ Germany**

Phone: +49 (0) 711 342471-0 / Fax: +49 (0) 711 342471-11

E-Mail: [info@de.infowerk.at](mailto:info@de.infowerk.at) / Website: [infowerk.at](http://infowerk.at)