


## Fluid Mechanics

# MFP103c

## Vane Pump

***Vane pump for use with the Positive Displacement Pump Support Module (MFP103)***



- Popular design pump for use with TecEquipment's Positive Displacement Pump Support Module (MFP103)
- Quick-release, self-sealing connections for simple and safe fitting
- Shows the characteristics of a vane pump

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecquipment.com • **W** www.tecquipment.com
- An ISO 9001 certified company

# MFP103c

# Vane Pump

## Description

For use with the Positive Displacement Pump Module (MFP103) this pump is ideal for student experiments, demonstrations and projects.

The vane pump is a positive displacement pump. It has a fixed displacement balanced vane that delivers a given volume of fluid (oil) for each full rotation of the pump shaft.

The pump rotation determines the flow direction, but you only test the pump in one direction, determined by the Universal Dynamometer.

Self-sealing connections reduce oil spillage and simplify installing the pump to the pump module.

## Standard Features

- Five-year warranty
- Made in accordance with the latest European Union directives

## Experiments

- Performance and characteristics of a vane pump
- Volumetric and overall efficiencies
- Use of an oval gear flowmeter

*When two or more optional pumps are ordered:*

- Comparison of positive displacement pumps (economy, flow rate and output pressure pulses)

## Essential Base Unit

- Positive Displacement Pump Module (MFP103) (with Universal Dynamometer MFP100)

## Operating Conditions

*Operating environment:*  
Laboratory

*Storage temperature range:*  
-25°C to +55°C (when packed for transport)

*Operating temperature range:*  
+5°C to +40°C

*Operating relative humidity range:*  
80% at temperatures < 31°C decreasing linearly to 50% at 40°C

## Specification

*Nett dimensions:*  
Approximately 300 mm x 300 mm x 300 mm and 9 kg

*Packed dimensions:*  
Approximately 0.064 m<sup>3</sup>

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecequipment.com • **W** www.tecequipment.com
- An ISO 9001 certified company

*tradition.*

*innovation.*

*integration.*

**infoWERK** is a leading expert in the development of eLearning courseware, learning system solutions, teaching and AV equipment.

**Furthermore infoWERK is the representative and system integrator of "TecQuipment".**

**TecQuipment** is one of the global leaders in technical teaching equipment for engineering. If you are interested in one of TecQuipment's products feel free to contact us at:



**infoWERK Medien & Technik GmbH**

**Martinsbühel 6 / A-6170 Zirl / Austria**

Phone: +43 (0) 5238 52099-0 / Fax: +43 (0) 5238 52099-40

E-Mail: [info@infowerk.at](mailto:info@infowerk.at) / Website: [infowerk.at](http://infowerk.at)

**Otto-Dürr-Straße 25**

**D-70435 Stuttgart, Zuffenhausen/ Germany**

Phone: +49 (0) 711 342471-0 / Fax: +49 (0) 711 342471-11

E-Mail: [info@de.infowerk.at](mailto:info@de.infowerk.at) / Website: [infowerk.at](http://infowerk.at)