



STR20

Bending Moments in a Portal Frame

For studying bending moments and sway in portal frames



Screenshot of the optional TecEquipment Structures Software



- High-quality structures teaching module for students of mechanical, civil and structural engineering
- Allows safe and practical experiments into bending moments of a portal frame
- Realistic and verifiable experiment results
- Optional TecEquipment's Structures Software package for extra, 'virtual' experiments, that simulate and confirm the results from your hardware and allow extended experiments
- Optional STR2000 unit with TecEquipment's Structures Software package for automatic data acquisition **and** virtual experiments
- One of many interchangeable experiment modules from TecEquipment's modern, flexible and cost-effective structures teaching system
- Ideal for classroom demonstrations, or students working in pairs or small groups

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecquipment.com • **W** www.tecquipment.com
- An ISO 9001 certified company

STR20

Bending Moments in a Portal Frame

Description

The experiment hardware fits onto the Structures Test Frame (STR1, available separately). Students use masses on weight hangers to apply various loads to a portal frame.

A backplate holding the portal fits to the Test Frame. The portal has three members - a horizontal beam and two vertical members or 'legs' joined at two upper corners. All members are of the same material and have the same flexural rigidity (IE value). The backplate holds the bottom of the portal legs to form rigid fixings. The portal has sixteen strain gauges - eight along its horizontal member and four along each vertical member. The gauges connect to the Structures Digital Strain Display (supplied) to display their measured strain.

As students apply loads, they use the measured strain to find the bending moment at the gauge positions and plot them on a diagram. They can then check the diagram against one created from theory.

The hardware includes a digital indicator to measure horizontal deflection (sway) in the portal. It also includes a pulley bracket so students can apply horizontal loads and compare sway direction with that predicted from theory.

The hardware also includes two removable moment arms. Students may fit one or both moment arms to the frame to simulate internal or external floor supports on the sides of a portal structure. Students can find the bending moments caused by these supports and compare with theory.

The lecturer guide provides details of the equipment including sample experiment results. The student guide describes how to use the equipment and gives experiment procedures.

For extra 'virtual' experiments, TecEquipment can supply the optional TecEquipment Structures Software (STRS), for use on a suitable computer. The virtual experiments simulate the tests you can perform with the hardware. They also extend the choice of tests beyond that available using only the hardware, for example: higher loads, uniform loads or different test specimens. This extends the student's learning experience.

For automatic data acquisition of your experiment results, TecEquipment can supply the optional Automatic Data Acquisition Unit (STR2000). Supplied as standard with the STR2000 is TecEquipment's Structures Software that displays and logs your experiment results and gives the extra virtual experiments.

Standard Features

- Supplied with lecturer guide and student guide
- Five-year warranty
- Made in accordance with the latest European Union directives

Experiments

- Strain gauge linearity
- Using strain measurement to find the bending moment
- Bending moments and sway for vertical and horizontal loads
- Bending moments for internal and external moments on vertical members
- Comparison of ideal and non-ideal structures

Essential Base Unit

- Structures Test Frame (STR1)

Recommended Ancillary

- Automatic Data Acquisition Unit (STR2000) for automatic data acquisition and virtual experiments

Essential Services

Electrical supply:

100 VAC to 240 VAC, 1 A, 50/60 Hz, with earth

Operating Conditions

Operating environment:

Laboratory

Storage temperature range:

-25°C to +55°C (when packed for transport)

Operating temperature range:

+5°C to +40°C

Operating relative humidity range:

80% at temperatures < 31°C decreasing linearly to 50% at 40°C

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecquipment.com • **W** www.tecquipment.com
- An ISO 9001 certified company

STR20

Bending Moments in a Portal Frame

Specifications

Nett dimensions and weights:

Portal Frame and Back Panel 580 mm x 370 mm x 90 mm and 8 kg

Digital Strain Display 230 mm x 230 mm x 50 mm and 1.25 kg

Loads 1.5 kg

Accessories 0.5 kg

Packed dimensions and weight:

Approximately 0.07 m³ and 15 kg

Loads:

5 weight hangers and 150 x 10 g masses

Portal Frame:

Aluminium 500 mm x 250 mm,
nominal member dimensions 19 mm x 3.2 mm

Accessories:

Vernier Gauge, Hexagon Tools (Allen Keys) and rule.

Horizontal loading cord with hooks.

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecequipment.com • **W** www.tecequipment.com
- An ISO 9001 certified company

tradition.

innovation.

integration.

infoWERK is a leading expert in the development of eLearning courseware, learning system solutions, teaching and AV equipment.

Furthermore infoWERK is the representative and system integrator of "TecQuipment".

TecQuipment is one of the global leaders in technical teaching equipment for engineering. If you are interested in one of TecQuipment's products feel free to contact us at:



infoWERK Medien & Technik GmbH

Martinsbühel 6 / A-6170 Zirl / Austria

Phone: +43 (0) 5238 52099-0 / Fax: +43 (0) 5238 52099-40

E-Mail: info@infowerk.at / Website: infowerk.at

Otto-Dürr-Straße 25

D-70435 Stuttgart, Zuffenhausen/ Germany

Phone: +49 (0) 711 342471-0 / Fax: +49 (0) 711 342471-11

E-Mail: info@de.infowerk.at / Website: infowerk.at